□□□□□□□□□□□

□□□□A: MIFARE® □ □□ USB □□□□□□□□□□□□□□□
B: Temic □□□□□□□ USB □□□□□□□□□□□□□□□
C: EM □□□□□□□□□□□ □□□□□□□□

□□□□□□□□□□□□

1□ □□□□□□□□□□□□□□□□□ □□□□□□□□ □□□

2□ □ntellectual □□□□□□□□□□□□□□□□□□□□□□□□□□□□

3□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

4□ □□□□□□□□□□□□□□□□□ □□□□

□□□□

□□ Temic □□□, □□ Temic □□□, □□ Temic □□□

□□□□□

Working voltage	6.0V (4 pieces of No.5 alkaline batteries)
Static current	≤15 μA
Card reading current	≤20 mA
Lifespan of batteries	10 months or above
Indication of lacking voltage	4.8V
Induction distance	>25mm
Working temprature	-20`C~70`C
Working humidity:	≤80%

□□□□□□□□□□□□


13
12
14
11
9
8
a
b
c
3
5
2
1
6
4
17
10
15
16
Attention! ! !
Here's two arrows pointing the direction to be horizontal, and the lock cylinder cover on the arrow on the upper, non-vertical point!

□□□□□□□

EC Certificate of Conformity
EMC

Verification of Conformity
FCC

Certificate of Conformity
RoHS

□□□□□□□□□□□□□□

L□□□□□□□□□□

-Computer(to install the software)□□□□□□ □□□ □□

-□□□□□□□□□□□□

-□□□

-□□

-□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

-□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

RF card

RF card reader
(used for issuing room card to guests)

Data collector

opening the door with RF card

collect opening records from hotel lock

proyu.en.alibaba.com