


□□□□□□□□□□

### Smart Card Basic Function



### Smart Card Extensive Function



□□□ ID□TEMIC□MIFARE®  
 □□□□□ & □□□□ 304 □□□  
 □□□ 10 □  
 □□□□ ≤ 5 □□  
 □□□□□ 6V□4 □ AA □□□□  
 □□□□□ < 30 uA  
 □□□□□ < 200 □  
 □□□□ 0.8 □  
 □□□□□ < 0.1  
 □□□□□ 32 60 □□  
 □□□□□□□□□□  
 □□□□□□□□ □□□□□□□□  
 □□□□□□□□ □□□ □□□□□ □□  
 □□□ 1 □□□  
 □□□ OEM □ ODM  
 □□□□□ Windows XP / 2000□ / 2003□/2007□  
 □□□□□□□□ USB □□

□□ PY-8505



PRODUCT DISPLAY



**HOTEL LOCK SYSTEM**  
ONE-CARD-PASS



1. 00000000 0 (00 = 00)---0000
2. 0000 01 0/000---000000
3. 00 (00 = 00)---000000
4. 0 (00 = 3 0000)---0000
5. 000000 01 00000000---0000000000000000
6. 00000000 000000---00000000000000

□□□□□□□□□□



□□□□□□□□□□



□□□□□□□□□□





□□□□□□□□□□



### Accessories list reminder:



**1**  
Door Lock  
Software



**2**  
RF Card  
Reader



**3**  
Data Collector



**4**  
RF Card



**5**  
Gain Power  
Switch

### Please confirm door opening direction as below 4 types:

|                     |                     |                    |                    |
|---------------------|---------------------|--------------------|--------------------|
|                     |                     |                    |                    |
| <b>right (push)</b> | <b>right (pull)</b> | <b>left (push)</b> | <b>left (pull)</b> |

Welcome your inquiry

