

□□□□□□□□

A MIFARE® □□□□□□□□ USB □□□□□□□□  
B □□□□□□□□□□ USB □□□□□□□□□□  
C EM □□□□□□□□□□□□□□

## Smart Card Basic Function



## Smart Card Extensive Function



□□□□0.8□

□□□□ < 0.1S

□□□□32-60□□

□□□□□□□□□□

□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□

□□□□1□□□ □□□□□□□□

□□OEM□ODM

□□□□Windows XP / 2000/2003/2007

□□□□hassel USB□□



**HOTEL LOCK SYSTEM**  
**ONE-CARD-PASS**



- 1. 000000000000 000000000000 qty = 0000---0000
- 2. 00000010/0000---00000000
- 3. 000000000000 qty = 0000---0000
- 4. 000000000000 qty = 00003000----0000
- 5. 0000000010/00000000-----00000000000000000000
- 6. 000000000000000000000000-----00000000000000000000

00000000000000000000



□□□□□□



□□□□□□□□



□□□□□□□□□□



**Accessories list reminder:**



**1**  
**Door Lock  
Software**



**2**  
**RF Card  
Reader**



**3**  
**Data Collector**




**4**  
**RF Card**



**5**  
**Gain Power  
Switch**

**Please confirm door opening direction as below 4 types:**



- 
- 
- 
- 
- 
- 
- 



[rfid□□□□□ □□□□□□□□□□ □□□□□□□□□□](#)