

## Lochkartenmaschine Zeiterfassung PY-S880

### Parameter:

Karte Kapazität	10000
Verhandlung-Kapazität	50000
Hardware-Plattform	ZEM510
Kommunikation	RS232 / 485, TCP / IP, USB-Wirt
Standardfunktionen	Workcode, SMS, DLST, Festlegen-Glocke, Selbstbedienung-Frage, automatischer Status-Schalter, T9 Eingang, Fotoidentifikation, Kamera, Web-Server
Zugriffskontrollen-Schnittstelle für	3rd Party Elektroschloss, Tür-Sensor, Ausgangsknopf, Warnung, Türklingel
Wiegand Signal	Input & amp; Ausgabe
Optionale Funktionen	ID / IC. Wi-Fi, GPRS
Anzeige	3,5 Zoll TFT-Bildschirm
Stromversorgung	12V DC 1.5A
Betriebstemperatur	0 °C - 45 °C
Betriebsfeuchtigkeit	20% -80%





### Packing list

#### For time attendance device:

In addition to the device, this package includes the following items:

- Printed documentation and software CD
- AC adapter
- Accessory package
- ID card (only for device with RFID function)

#### For access control device:

In addition to the device, this package includes the following items:

- Printed documentation and software CD
- Accessory package
- ID card (only for the device with RFID function)

Contents may vary depending on the device configuration.

The information contained herein is subject to change without notice.

