

## Tarjeta de sacador de la atención del tiempo de la máquina PY-S880

### Parámetros:

Tarjeta Capacidad	10000
Capacidad de la transacción	50000
Plataforma de hardware	ZEM510
Comunicación	RS232 / 485, TCP / IP, USB-Host
Funciones estándar	Workcode, SMS, DLST, Programar-campana, pregunta del autoservicio, interruptor automático del estado, T9 entrada, identificación con fotografía, cámara, Web-servidor
Interfaz de control de acceso para	3rd cerradura parte eléctrica, sensor de puerta, botón de salida, alarma, puerta Bell
Señal de Wiegand	Entrada & amp; Salida
Funciones opcionales	ID / IC, Wi-Fi, GPRS
Visualización	3,5 pulgadas de pantalla TFT
Fuente De Alimentación	1.5A 12V DC
Temperatura de funcionamiento	0 °C - 45 °C
Humedad de funcionamiento	20% -80%





### Packing list

#### For time attendance device:

In addition to the device, this package includes the following items:

- Printed documentation and software CD
- AC adapter
- Accessory package
- ID card (only for device with RFID function)

#### For access control device:

In addition to the device, this package includes the following items:

- Printed documentation and software CD
- Accessory package
- ID card (only for the device with RFID function)

Contents may vary depending on the device configuration.

The information contained herein is subject to change without notice.

