

Temps de présence Machine à cartes perforées PY-S880

Paramètres :

Carte Capacité	10000
Capacité de transaction	50,000
Plate-forme matérielle	ZEM510
Communication	RS232V485, TCPV/IP, USB-host
Fonctions standard	Subdivisée, SMS, DLST, planifiée-bell, requête libre-service, commutateur automatique d'État T9 entrée, ID photo, Camera, serveur Web
Interface de contrôle d'accès pour	3RD partie serrure électrique, détecteur de porte, bouton exit, alarme, sonnette de porte
Signal de Wiegand	Entrée et sortie
Fonctions optionnelles	IDVIC, Une connexion Wi-Fi, GPRS
Affichage	Écran TFT 3,5 pouces
Bloc d'alimentation	12V DC 1,5 a
Température de fonctionnement	0 °C-45 °C
Humidité de fonctionnement	20 % - 80 %

Fournisseur :

[Temps de présence WiFi compagnie de carte de Temic, usine de verrouillage carte magnétique multi-couleur hôtel, Ventes en gros des machine de fréquentation multicolores](#)





Packing list

For time attendance device:

In addition to the device, this package includes the following items:

- Printed documentation and software CD
- AC adapter
- Accessory package
- ID card (only for device with RFID function)

For access control device:

In addition to the device, this package includes the following items:

- Printed documentation and software CD
- Accessory package
- ID card (only for the device with RFID function)

Contents may vary depending on the device configuration.

The information contained herein is subject to change without notice.

