Temps de présence Machine à cartes perforées PY-S880

Paramètres :

Carte Capacité	10000
Capacité de transaction	50,000
Plate-forme matérielle	ZEM510
Communication	RS232\/485, TCP\/IP, USB-host
Fonctions standard	Subdivisée, SMS, DLST, planifiée-bell, requête libre-service, commutateur automatique d'État T9 entrée, ID photo, Camera, serveur Web
Interface de contrôle d'accès pour	3RD partie serrure électrique, détecteur de porte, bouton exit, alarme, sonnette de porte
Signal de Wiegand	Entrée et sortie
Fonctions optionnelles	ID\/IC, Une connexion Wi-Fi, GPRS
Affichage	Écran TFT 3,5 pouces
Bloc d'alimentation	12V DC 1,5 a
Température de fonctionnement	0 ℃-45 ℃
Humidité de fonctionnement	20 % - 80 %

Fournisseur :
Temps de présence WiFi compagnie de carte de Temic, usine de verrouillage carte magnétique multi-couleur hôtel, Ventes en gros des machine de fréquentation multicolores

Packing list
For time attendance device:
Printed documentation and software CD
AC adapter
Accessory package
ID card (only for device with RFID function)
For access control device:
Printed documentation and software CD
Accessory package
ID card (only for the device with RFID function)


TCP/IP
PC
USB
RS232/485 Switch
iclock680
Printer