

00 / 000000000 00000-00 **3-6** 00 000 0000 00000000 000000000000 00000000000 000000 0000

000000000:

000 000000000 000: 000000000000,MIFARE® 000000, 00000000 000000, 000000 00000000 000000 (000000000) 000000 00 00000000 00 00000 00 00000 00 000 000000000

0000000: 120 000000000000 00 120 0000000

000000 00 00 0000 0000 00000 00000 0000 000000000 00000 00000000 00000 00000 0000 0000

000000 000000 0000 000000000 00 0000 00000000000 00000000 0000000000

0000 00000000 00 0000 000000000 00000000 00 0000 000000000000 0000000 00000 0000 00 00000 00

000000000 00 00000000000 00000000000 000000

0000 3080UV 00 0000 000000 00

00 000000000 00000000 (4.8 00 00 00)

0000 000000 00 0000000 00000000 00000 00 00 00000000000 0000000 00 000000000 00 0000000 00000 00 00000 00

[000000\\_0000000000\\_000000000\\_00\\_00000](#)

00000000 00000000:

000	PY-U3-6
0000000000000 000000	0.30000 000000000, 0000 CMOS
0000000 0000000	500 0000000
0000000 0000 00 0000000 0000000000	00 20 00000000000 00000 00 00 4H 0000000 00 0000 1000 0000 0000 00 0000 000000 000000 00000 00000
000000000 0000	& LT; 1 0000000
000000000 00000	1: 00
FRR	≤1%
0000	≤0.0001%
000000 00 00000000 00 0000 0000	0000 00 0000
000000000000000 000000000 00000	00 000000000000000 0000000000 000000 00 0000 00 0000 000000 0000000
000000000000000 000000000 00000	00000 0000 00 0000000000
000000000000000 0000000000 0000	0000 000000000 000000000000000 000000000000 00 00000000000 0000 00 0000000 0000000
0000000000 00000000	00000000 120 0000000000000
000000000 0000	& lt; 20UA (000000000000000) & lt; 120UA (0000000 000000000) & lt; 220UA (0000000 000000000 00 0000000 000000000)
00000000 0000	& LT; 200mA
0000000000 000000000	4 00 000000000 0000000, 00000 6V
0000000 00000	0000000000 10, 000 0000
000000 00 000000000	4 00 000000000 0000000 / 6V ~ 9Vexternal 0000000 00 000000000
00000000 0000000	-10 0000000 0000000000 ~ 55 00000000 0000000000
00 000000000 0000000	& LT; 4.5V

[000000 00 & 00000 0000000 00000000 000000000 0000000](#)

000000 00000000 00:













000-0000-0000000-000-000000