

IP 電話機 無線 LAN 対応機種 - S880

無線 LAN 対応機種、無線 LAN 対応機種、無線 LAN 対応機種

仕様:

標準機種	10000
標準機種	50,000
標準機種 標準機種	ZEM510
標準機種	標準機種 232/485, 標準機種 / 標準機種, 標準機種-標準機種
標準機種 標準機種	標準機種, 標準機種, 標準機種, 標準機種-標準機種, 標準機種-標準機種 標準機種, 標準機種 標準機種, 標準機種 標準機種, 標準機種-標準機種, 標準機種, 標準機種-標準機種
標準機種 標準機種 標準機種 標準機種 標準機種	3標準機種 標準機種 標準機種標準機種 標準機種, 標準機種 標準機種, 標準機種 標準機種, 標準機種, 標準機種 標準機種
標準機種 標準機種	標準機種 標準機種 & 標準機種
標準機種 標準機種	標準機種 / 標準機種, 標準機種-標準機種, 標準機種
標準機種	3.5 標準機種 標準機種
標準機種 標準機種	12 標準機種 1.5 標準機種
標準機種 標準機種	0 °C - 45 °C
標準機種 標準機種	20% -80%

[無線 LAN 対応機種 標準機種 wholesales](#)





Packing list

For time attendance device:

In addition to the device, this package includes the following items:

- Printed documentation and software CD
- AC adapter
- Accessory package
- ID card (only for device with RFID function)

For access control device:

In addition to the device, this package includes the following items:

- Printed documentation and software CD
- Accessory package
- ID card (only for the device with RFID function)

Contents may vary depending on the device configuration.

The information contained herein is subject to change without notice.

