

0000 0000 00000000 000 0000:

0000 00000000 0000 0000 00000000, 00000000 / 00 00000000 00000000 0000 00000000, 000000000000 0000000000 0000 00000000

0: 0000 00 0000 00 0000 MIFARE® 000000, (00000000 000000 000000 00000000 00 0000000000 00 0000 000000 00000)

00: 000000 000000 00000 0000, (00000000 000000 000000 00000000 00 0000000000 00 0000 000000 00000)

00: 0000 00000 0000, (000000000000 00 0000000 00000, 0000 00000000 00000 00000000000)

000000 00000 000000 0000 00 000000 00000000000

10 00 000000 000000 00000 (0000000000 000000 00 000000) 00000000 00 0000 00000 00000 00, 00000 00000000 00 00000000 00000000 00 00000

20 00000000000000 000000000 00000 00000-00000 00000, 00 0000 000000 00 0000 00 0000 0000 0000 00 0000 0000 0000 00 0000 0000 00000 00000 00000 000000 00000

30 00000000 00000000 00 00000000 00000 00 000000 00000 00 000000 00000 00 00000 00 0000 00: 000000 000000 000000000 00000 00000 00

40 00 00000 00000 00 00000000000 00000 00 0000 00 00000000 000000 00 000000000 00000 00000 00000 00000 00000

00000000 00000000:

Working voltage	6.0V (4 pieces of No.5 alkaline batteries)
Static current	≤15 μA
Card reading current	≤20 mA
Lifespan of batteries	10 months or above
Indication of lacking voltage	4.8V
Induction distance	>25mm
Working temprature	-20°C~70°C
Working humidity:	≤80%

00000 00 000000000000 0000000 0000

- 0000000000 (000000000000 000000000 00000 00 0000), 000000 00000000, 0000000, 00000 00000 00 00000 00000 000000, 00 000000 0000 0000000, 00000000 00 00000 0000000000 00 00000 0000..00 00000 0000000 00000000 00 00000 0000

- 000000000000 00000 00000000 0000 00000000 00000 00000000

- 000000000000 00 00000000 00, 00 0000000 00 00000 00 0000 00 0000 00 000000000 00000 00 0000000..00 00000 00 00000000000 0000 00000 00 000000000000 000000 00 0000 00000 00 000000 000000000000

- 0000 0000000 00 000000 00 0000000 0000000 00 0000 00000 0000 0000 00000, 00000 0000000 00 0000 0000000 00 000000000 00000, 0000 0000000 00 0000 000000 00 0000 0000000 0000000, 0000 00000000 00 00 0000000 0000000000 00000

- 0000000000 00 0000 0000, 00 000000000000 00 0000 0000000 / 0000000 / 0000000000 0000000000 000000000 00 00000 00000

- 透過此系統, 我們可透過RF卡來控制門鎖, 並可透過RF卡來收集門鎖的開鎖紀錄, 並可透過RF卡來控制門鎖的開鎖紀錄, 並可透過RF卡來控制門鎖的開鎖紀錄



RF card



RF card reader
(used for issuing room card to guests)



Data collector



opening the door with RF card



collect opening records from hotel lock