

□□□□ □□□□ □□□□ □□□□□□ □□□:

- : □□□□ □□□□ □□ □□□ MIFARE® □□□□□□, (□□□□□□□ □□□□□ □□□□□ □□ □□□□□□□□□□ □□ □□□□□□□□)
- : TEMIC □□□□□□ □□□□□ □□□□□, (□□□□□□□ □□□□□ □□□□□ □□ □□□□□□□□□□ □□ □□□□□□□□)
- : □□□□ □□□□□ □□□□□, (□□□□□□□ □□□□□□□□□□□□, □□□□ □□□□□□□□ □□□□□ □□□□□□□□□□□)


□□□□□□ □□□□□ □□ □□□□□□□ □□□ □□ □□□□□□ □□□□□□□□□□□

- 1□ □□ □□□□ □□□□□□□□ □□ □□□□□□□ □□□□□□□ □□ □□□ □□ □□□ zink □□□□□□ □□□□□ (□□□□□□□□□ □□□□□ □□ □□□□□□) □□ □□□□ □□□□
- 2□ □□□□□□□ □□ ntellectual □□□□□□□□ □□□□□ □□□□□ □□□□, □□ □□□ □□□□□ □□□ □□□□□ □□ □□□ □□□ □□□□□□ □□ □□□□□ □□□□□ □□□□
- 3□ □□: □□□□□□ □□□□□□□, □□□□□□□ □□□□□□□ □□ □□□□□□ □□ □□ □□□□□ □□□□□ □□ □□□□□ □□ □□□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□
- 4□ □□ □□□□ □□□□□ □□ □□□□□□□□□□ □□□□ □□ □□□ □□ □□□□□□ □□□□□ □□ □□□□□□□□ □□□□□

□□□□□□□ □□□□□□□:

Working voltage	6.0V (4 pieces of No.5 alkaline batteries)
Static current	≤15 μA
Card reading current	≤20 mA
Lifespan of batteries	10 months or above
Indication of lacking voltage	4.8V
Induction distance	>25mm
Working temprature	-20`C~70`C
Working humidity:	≤80%

□□□□□□ □□□□□ □□□□□□ □□□□□□□□ □□□□ □□□□□ □□□□□□□□ □□□□□



Attention!!!

□□□□ □□□□□ □ □□□□□ □□□□



□□□□ □□□ □□□□ □□□□□□ □□□ □□ □□□ □□□□□



RF card



RF card reader
(used for issuing room card to guests)



Data collector



opening the door with RF card



collect opening records from hotel lock

proyu.en.alibaba.com