

PLC 系統用 監視 装置 監視器 PY-S880

仕様:

|                       |   |
|-----------------------|---|
| 画面サイズ                 | 10000   |
| 画面-監視 監視器             | 50000   |
| 監視器の種類                | ZEM510  |
| 監視器の種類                | RS232 / 485, 監視器 / 監視器, 監視器-監視器   |
| 監視器の種類                | Workcode, 監視器, DLST, 監視器-監視器, 監視器 監視器 監視器, 監視器監視器 監視器監視器, T9 監視器, 監視器 監視器, 監視器, 監視器 |
| 監視器 監視器 監視器監視器 監視器監視器 | 3監視器 監視器 監視器 監視器, 監視器 監視器, 監視器 監視器 監視器, 監視器, 監視器 監視器 監視器                            |
| Wiegand 監視器           | 監視器 & amp; 監視器  |
| 監視器監視器 監視器            | 監視器 / 監視器, 監視器-監視器, 監視器監視器  |
| 監視器監視器                | 3.5 監視器 監視器 監視器監視器  |
| 監視器 監視器 監視器監視器        | 12V 監視器 1.5A  |
| 監視器監視器 監視器            | 0 °C - 45 °C  |
| 監視器監視器 監視器監視器         | 20% -80%  |





### Packing list

#### For time attendance device:

In addition to the device, this package includes the following items:

- Printed documentation and software CD
- AC adapter
- Accessory package
- ID card (only for device with RFID function)

#### For access control device:

In addition to the device, this package includes the following items:

- Printed documentation and software CD
- Accessory package
- ID card (only for the device with RFID function)

Contents may vary depending on the device configuration.

The information contained herein is subject to change without notice.

