

□□□□ □□□□ □□□□□□ □□□ □□□□:

□□□□□□□□: □□□□ □□□□ □□□□□ □□□□ □□□□ □□□□□□□□, □□□ □□□ □□□□ □□□□ □□□□□□□□, □□□□□□□ □□□□□ □□□□ □□□□□□□□

- : □□□□ □□□□ □□ □□□ MIFARE® □□□□□□, (□□□□□□□ □□□□□ □□□□□ □□ □□□□□□□□□□ □□ □□□ □□□□□ □□□□)
- : □□□□□ □□□□□ □□□□ □□□□, (□□□□□□□ □□□□□ □□□□□ □□ □□□□□□□□□□ □□ □□□ □□□□□ □□□□)
- : □□□ □□□□ □□□□, (□□□□□□□□□□□ □□ □□□□□ □□□□□, □□□□ □□□□□□□ □□□□ □□□□□□□□□□)

□□□□□□ □□□□□ □□□□□ □□□ □□ □□□□□ □□□□□□□□□□□

1□ □□ □□□□□ □□□□□ □□□□□ (□□□□□□□□□ □□□□□ □□ □□□□□□) □□□□□□ □□ □□□ □□□□□ □□□□ □□, □□□□□ □□□□□□□ □□ □□□□□□ □□□□□□□□ □□ □□□□□

2□ □□□□□□□□□□□□□ □□□□□□□ □□□□□ □□ □□□□□, □□ □□□ □□□□□□ □□ □□□□□ □□□□□ □□ □□□ □□□ □□□□ □□ □□□ □□□□□□ □□ □□□□□ □□□□□ □□□□□ □□□□


3□ □□□□□□□ □□□□□□ □□ □□□□□□ □□□□□ □□ □□□□□ □□□□□ □□ □□□□□ □□ □□□ □□: □□□□□ □□□□□□ □□□□□□□ □□□□□ □□□□□ □□□□□ □□□□□ □□□□□

4□ □□ □□□□ □□□□□ □□ □□□□□□□□□□ □□□□□ □□ □□□ □□ □□□□□□ □□□□□ □□ □□□□□□□ □□□□ □□□□□□□ □□□□□ □□□□□□□

□□□□□□□ □□□□□□□:

Working voltage	6.0V (4 pieces of No.5 alkaline batteries)
Static current	≤15 μA
Card reading current	≤20 mA
Lifespan of batteries	10 months or above
Indication of lacking voltage	4.8V
Induction distance	>25mm
Working temprature	-20`C~70`C
Working humidity:	≤80%

□□□□□□ □□□□□ □□□□□□ □□□□□ □□□ □□□□□ □□□□□□□□ □□□□□



Attention!!!



Here's two arrows pointing the direction to be horizontal, and the lock cylinder cover on the arrow on the upper, non-vertical point!

□□□□ □□□□□□ □□ □□□□□□ □□□□



□□□□ □□□□ □□□□ □□□□ □□□□ □□ □□ □□□□ □□□□



RF card



RF card reader
(used for issuing room card to guests)



Data collector



opening the door with RF card



collect opening records from hotel lock

proyu.en.alibaba.com