

00000:

00000 00000000 00 00000000 0000 00 00000 00 00000000, 00000 00 000, "00 00 00000 00 000000 0000 00 0000 0000 00 00 00000 00 00 00000 00 00000, 00000 00 000000000 0000 00000000 00 00000 0000, 00 00000 00000000 00 00000 0000, 00 00000 00000000 00 000000000 00000 00 000000"

00000 00000000 0000 00 00000000 00 00000000 00000, 00000000 00 00000000000000 00000 0000 00 000000000 00, "00000 000000 00 000000000 00000 0000 00000000 00 000000000 000000000 000000, 000000000 0000000000 00000000 00 00000000000 00000000 00000000 00000000 00000 00 000000000 00000 00 00000 00 00 00000 00 00000 000000000 00000000 00 00000000 00 00000000 00 00000000 00 00000000 00 00000000 00 00000000 00 00000000 00 00000000 00 00000000!"

00000 00000000 000000:

0000000000000000 860 ~ 868 000000000000, 902 ~ 9 28 000000000000 000000000 00000 (000000000 000000000)

00000000 8dbi

000000 00000 00000 3-5 00000

000000000000 000000 18000-6 00, 000000 18000-6 00 (0000000 000000 1 00 2)

000000000000 000 00000000 00 000000 000000000000000000 000000000000

000000000000 #, 00000, 00000000 00000; 00 #, 00000, 00000 00000000

000000000000 RS232, RS485, 00000000, 00000000 / 00000 00 00000000 (000000000000)

\* 000000000 00000 0000, 00000, 00 00000000 00 00000000 00000 0000

00000:

000000 00 00000000 8-12V

0000 00 00000 64 0000 000000 000000 & lt; 6ms

000000 000000000000

000000 0000 00 0000000 00000000

000000 000000000000: 20% ~ 95%

00000 227 00000 × 227 00000 × 60 00000

0000: 2.5 00000

000000 00 3-5 000000 00000000 00 000000 0000 00000000 00000


00000 00000000

0000: + 12 00000000 00000: 00000000

0000: 00000000 00 485 00- 00000000: 232XD

00000: DATA1 00 485 00 + 00000: 232 0000000000

00000: 00000000 00000: 00000000



00000 000000000000 00000 0000000000 0000000000 00 0000 00000000




□□ □□□□□□ □□□□ □□□□□□ □□□□□ □□□ □□□ □□□□□ □□□:



□□□□ □□ □□□□ □□□□□□□□ □□□□ □□□□□□□□ □□□□□□□□



□□ □□□□□□ □□□ □□□□□□ □□□ □□□ □□□□□□ □□□□ □□□□



□□□□ □□□□□□ □□ □□□ □□□□ □□□□ □□□□ □□□□