

High security biometric fingerprint and password door lock for home/office PY-E7F4

[Password & ID card access control company](#), [High security Magnetic lock manufacturer](#), [Finger & ID card time attendance company](#)

Specifications:

1. Optical sensor with high resolution
2. 5 latches, higher security
3. ways to open: Fingerprint, PIN and mechanical keys
4. Capacity: Maximum 120 fingerprints in 4 groups
5. Allow to erase single fingerprint or group fingerprint
6. Fingerprint can be enrolled and erased on the lock directly, no PC connection required
7. Deadbolt can be locked by rotating outside/inside lever
8. Blue background light, convenience for night use.
9. Normally open status can be set for meeting or events
10. Operates on 4 AA batteries or a 9V battery, with low voltage alert
11. Auto alarm function: If the door is not locked properly, the latches draw out, 3 seconds later the lock will alarm automatically. While alarming, the door can be opened with fingerprint or emergency PIN, but can be opened with mechanical key, after 1 minute alarming, the alarm stops, the lock go back into normal status.
12. Antistrike function: When the door is closed, the antistrike latch is pressed against the doorframe, which prevents the door from being opened simply by something like credit card.
13. Standalone, suitable for office, meeting room, residence, etc,
15. Very easy installation and operation
16. One year battery life under normal use
17. The lock can be set to a Passage Mode at any time
18. Two high security override keys are provided for emergency entry
19. Compact and attractive design Image capture time: 1 second, Response time: 1 second
20. External contacts for battery-power override

Features:

O
p
t
i
c
a
F
S
E
g
e
o
p
r
C
M
O
S
e
B
M
e
g
a
P
i
x
e
l
S
e
n
s
o
r
B
E
B
b
l
u
t
i
o
n

R
e
m
a
i
n
G
o
o
d
C
o
n
d
i
t
A
o
h
A
f
t
e
r
B
e
A
h
g
J
a
b
y
O
d
W
e
n
h
A
4
B
B
e
h
o
c
k
A
t
A
2
c
m
,
s
D
i
s
t
a
n
c
e
.

A
u
t
h
e
n
t
i
c
a
t
i
v
e
S
p
e
e
d
A
u
t
h
e
n
t
i
c
a
t
i
v
e
M
e
n
t
h
o
d
s
F
A
R
≤
.1
%

F
A
R
%

A
n
g
l
e
F
o
r
P
B
B
t
i
n
g
F
i
n
g
e
r
T
w
i
c
e
T
B
G
a
g
E
n
P
F
i
n
g
S
c
r
p
n
n
n
n
g
e
m
p
l
a
t
e

S
a
v
e
d
A
l
l
E
n
r
o
l
l
e
d
F
i
n
g
e
r
p
r
i
n
t
i
n
g
M
a
t
t
e
r
i
a
l
S
e
c
o
n
d
W
o
r
l
d
W
a
r
R
e
p
l
a
c
i
n
g
T
h
e
B
a
t
t
e
r
i
e
s

U
s
e
r
C
h
i
c
k
o
u
t
s
C
o
n
f
i
d
e
n
t
i
f
i
c
a
t
i
o
n
C
o
e
f
f
i
c
i
e
n
c
y

S
u
p
p
l
i
e
m
e
n
t
s
S
i
s
t
a
b
l
e
O
p
t
i
c
a
l
E
n
v
i
r
o
n
m
e
n
t
C
o
o
r
d
i
n
a
t
e
d

S
t
a
t
i
c
A
r
r
e
n
t

D
y
n
a
m
i
c
A
r
r
e
n
t
2
7
D
B
K
6
n
8
k
6
n
8
c
m
W
e
4
g
8
k
g

I
n
s
t
a
l
l
D
B
Y
i
o
n

1 Year Warranty
(Manufacturer)

Picture Shows:









[Finger access control Hotel lock Supplier](#)