

RFID electric panel door lock with remote control key PY-8820YH

Feature:

1. Remote Control open the door, Mini remote control >5 meters , Inside house remote control>10 meters , with high Rolling code remote control technology
2. The unique MIFARE® card reader design provides great convenience for the elder and young family members as well as office staff who have cards already.
3. If you do not want to use the MIFARE® Card/Remotel control(or keyfob), you can still use the backup mechanical keys included in the package to open the lock.
4. It has two Latches: One is Deadbolt Latch, the other is Anti-card Latch, with these two Latches, you will make your Home/Office more security.
5. There is a Bolt knob on the back of the lock, when you at indoor, you can twist this bolt knob to make the deadbolt latch out to improve your security
6. It works with 4x AA batteries, you do not need to worry about power off, because if the voltage is less than 4.8v, there will be battery alarm and you still can use it more than 100times before you change the battery

Technical Parameter:

Power Supply: DC6V, 4pcs Alkaline Battery

Static Current: < 40uA

Dynamic Current: 200mA

Card Type: MIFARE®

Lack of Voltage Indication: $\leq 4.8V$

Working Temperature: $-25^{\circ}c \sim 70^{\circ}c$

Relative Humidity: 20%-80%

Identify Speed: 0.5~1.5 second

Card Capacity: 20pcs


Wireless Frequency: 915MHz,ISM Band

Remote Distance: Mini Remote Control $\geq 5m$, Indoor Remote Control $\geq 10m$

Remote Control Technology: Rolling Code

Picture Shows:











LORO