

ПЕРФОКАРТУ посещаемость времени машина PY-S880

Параметры:

Карта Мощность	10000
Сделка Емкость	50000
Аппаратная платформа	3ЭМ510
Связи	RS232 / 485, TCP / IP, USB-хост
Стандартные функции	Workcode, SMS, DLST, по расписанию колокол, Self-Service Query, Автоматический переключатель состояния, T9, фото-ID камеры, Web-сервер
Контроль доступа Интерфейс для	3й партия электрический замок, датчик двери, кнопка выхода, сигнализация, дверной звонок
Сигнал Wiegand	Вход и усилитель; Выход
Дополнительные функции	ID / IC, Wi-Fi, GPRS
Дисплей	3,5 дюйма TFT экран
Источник Питания	12V DC 1.5A
Рабочая температура	0 °C - 45 °C
Влажность	20% -80%





Packing list

For time attendance device:

In addition to the device, this package includes the following items:

- Printed documentation and software CD
- AC adapter
- Accessory package
- ID card (only for device with RFID function)

For access control device:

In addition to the device, this package includes the following items:

- Printed documentation and software CD
- Accessory package
- ID card (only for the device with RFID function)

Contents may vary depending on the device configuration.

The information contained herein is subject to change without notice.

