

Smart Card Basic Function



Smart Card Extensive Function



1. 產品名稱: TEMIC, MIFAREi
 2. 產品型號: MATERIAL 304 & 304 & 304 304
 3. 產品規格: 10
 4. 產品尺寸: $\leq 5\text{cm}$
 5. 產品電壓: DC 6V, 4pcs AA
 6. 產品電流: $\leq 30\text{ uA}$
 7. 產品電阻: $\leq 200\text{ mA}$
 8. 產品電容: 0.8
 9. 產品電感: $\leq 0.1\text{s}$
 10. 產品電阻: 32-60
 11. 產品電容: customerized
 12. 產品電感: $\leq 10\text{ uA}$
 13. 產品電阻: $\leq 10\text{ uA}$, $\leq 10\text{ uA}$, $\leq 10\text{ uA}$, $\leq 10\text{ uA}$, $\leq 10\text{ uA}$
 14. 產品電容: $\leq 10\text{ uA}$
 15. 產品電感: OEM ODM
 16. 產品電阻: Windows XP / 2000/2003/2007
 17. 產品電容: USB Hassel

PY-8181

HOTEL LOCK SYSTEM ONE-CARD-PASS



1. [\[Link\]](#) (1pcs / 1000000) --- [Link]
2. Encoder (1pcs / 1000000) --- [Link]
3. switch (1000000 = 1000000) --- [Link]
4. Cards (1000000 = 3 1000000000000) ----- [Link]
5. Data [Link] (1pcs / 1000000, 1000000000000) -----
[Link]
6. Self [Link] (1000000000000) --- [Link]

[\[Link\]](#):

Accessories list reminder:



1
Door Lock
Software



2
RF Card
Reader



3
Data Collector



4
RF Card



5
Gain Power
Switch

Please confirm door opening direction as below 4 types:

right (push)	right (pull)	left (push)	left (pull)

Welcome your inquiry

