

Smart Card Basic Function



Smart Card Extensive Function



304 PY-8181

ID, TEMIC, MIFARE®
 304
 10
 ≤ 5
 DC 6V, AA 4pcs
 < 30 UA
 < 200 mA
 0.8
 < 0.1s
 32-60
 customized
 Windows XP / 2000 / 2003/2007
 USB hassel

PY-8181

HOTEL LOCK SYSTEM ONE-CARD-PASS



1. [Blank] (qty = guest room) --- [Blank]
2. Encoder (1pcs / hotel) --- [Blank]
3. Switch (qty = guest room) --- [Blank]
4. [Blank] (qty = 3 [Blank]) ----- [Blank]
5. [Blank] (1 [Blank] / [Blank]) -----
[Blank]
6. [Blank] ([Blank]) ---- [Blank]

[Blank]:



XX:



Accessories list reminder:



1
Door Lock
Software



2
RF Card
Reader



3
Data Collector



4
RF Card



5
Gain Power
Switch

Please confirm door opening direction as below 4 types:

<p>Indoor</p> <p>Outdoor</p>	<p>Indoor</p> <p>Outdoor</p>	<p>Indoor</p> <p>Outdoor</p>	<p>Indoor</p> <p>Outdoor</p>
right (push)	right (pull)	left (push)	left (pull)

Welcome your inquiry